



TranSport®

MOBILE BLEACHERS

2018 Models & Features

TranSport Mobile Grandstand Bleachers offer more choices, more features, and more possibilities.

PATENT US 8,296,999 B2

Specifications
Subject to Change Without Notice

(812) 246-3371
www.centuryindustries.com

Century Industries

Meet Spectator Seating Challenges - TranSport mobile bleachers & mobile grandstands offer solutions for providing outdoor event seating. All **TranSport** models are equipped for towing on public roads, allowing utilization throughout your community. All models feature powered, one-person, push-button set up for fast, easy operation.

Mobile bleachers offer increased utilization, reduced maintenance and vandalism, and increased site security. Mobile bleachers allow shared use among other organizations within a community. Easily reconfigure spectator seating on multi-purpose sports fields. Provide supplemental seating for tournaments and stadiums. Solve seating challenges in flood plain areas and temporary sites.

Easily offer spectator seating for tracks, motor sports, air shows, equestrian events and meets, parades, educational/instructional demonstrations, and more.

TranSport Mobile Seating Offers:

- **Seat Rows** – choice of 7, 8, 10, 12 or 15 seat rows
- **Row Spacing** – standard 24 inch center to center, 8 inch rise - comfortable spacing with consistent slope for code requirements
- **Footboards** - one-piece extra-width aluminum planks
- **Enclosed Risers** - aluminum enclosure panels
- **Center Aisle** - provides easier spectator access to seat rows
- **Guardrails** – steel or optional rounded aluminum with vertical balustrades, automatically fold with bleacher
- **Hydraulic Actuation** - self-contained system providing fast, effortless, one-person, push-button operation
- **Mechanical Compartment** - enclosed compartment contains hydraulic and battery systems
- **Towing Coupler** - standard pintle ring with removable tongue (optional ball and gooseneck couplers available)
- **Pivoting Leveling/Support Jacks** - multiple frame-mounted leveling support jacks permit bleacher use on soft surfaces, jacks pivot for maximum ground clearance, preventing damage during towing
- **IBC Code Requirements** - all models equipped to meet IBC2009 code requirements. (Contact us for special pricing if not required)

TSP15 - 15 Row Mobile Grandstands



Patent US 8296999B2

High-capacity 15-row mobile bleachers provide more spectator seats for each frontage foot and increased visibility to host larger outdoor events. Relocate even more seating in a single trip. Push-button hydraulic actuation allows fast setup.

MODEL	ROWS	MAXIMUM SEAT CAPACITY	SEAT CAPACITY with AISLE
TSP15-390	15	390	352
TSP15-450	15	450	412

TSP12E - 12 Row Elevated Mobile Grandstands



Offer increased visibility and improved spectator sightlines with elevated 12-row mobile bleachers. Elevated seating allows spectators to watch events free of interference from obstructions or walking spectators.

A front mounted aluminum walkway with stairs and hand rail is included.

MODEL	ROWS	MAXIMUM SEAT CAPACITY	SEAT CAPACITY with AISLE
TSP12E-39	12	312	282
TSP12E-45	12	360	330

TSP10 - 10 Row Mobile Bleachers



Rugged, dependable 10 row mobile bleachers are a favorite among organizations and companies that provide event seating. Outdoor durability is achieved through the use of aluminum and galvanized steel construction. Rounded aluminum guardrails with vertical balustrades offer safety and comfort.

Standard models include extra-width footplanks, vertical enclosures, and aisleways, to comply with the most commonly adopted codes.



Shown with
Optional Canopy

MODEL	ROWS	MAXIMUM SEAT CAPACITY	SEAT CAPACITY with AISLE
TSP10-180	10	180	156
TSP10-260	10	260	236
TSP10-300	10	300	276

Add a canopy to a 10 row bleacher for increased spectator comfort and weather protection. Includes roof and rear windwall. Canopy travels with the bleacher on public roads and highways, and sets up in minutes upon reaching the event site without the need for ladders, cranes, guy wires, footers, or site construction.

TSP8 - 8 Row Mobile Bleachers



Increased use of aluminum in the construction of TSP8 bleacher models increases weather resistance while reducing towing weight and site impact.

Unique automatic leveling/support jack rotation further expedites and simplifies bleacher set up. Towing tongue retracts to allow end-to-end placement of bleachers.



MODEL	ROWS	MAXIMUM SEAT CAPACITY	SEAT CAPACITY with AISLE
TSP8-112	8	112	93
TSP8-144	8	144	125

Offer additional spectator comfort of a protective weather canopy. Includes roof and rear windwall. Canopy travels on public roads and highways attached to the bleacher. Once on site, the canopy sets up in minutes without the need for ladders, cranes, or guy wires.

TSPVIP8 - VIP Mobile Grandstand




For events where spectator comfort is a priority, the TSPVIP series of mobile grandstands delivers. TSPVIP grandstands feature molded, individual seats with seat backs and spring-loaded seat bottoms that do not collect water. A unique folding mechanism allows all seat rows to remain permanently attached to the grandstand structure for fast, easy set up. Towing tongue retracts for spectator safety while also allowing end-to-end placement of multiple units.

MODEL	ROWS	SEAT CAPACITY with AISLE
TSPVIP8-32	8	147
TSPVIP8-45	8	219

Spectator comfort is further enhanced by the addition of a protective weather canopy that folds and travels with the grandstand.

TSP7E - 7 Row Elevated Mobile Grandstands



Offer increased visibility and improved spectator sightlines with elevated 7-row mobile bleachers. Elevated seating allows spectators to watch events free of interference from obstructions or walking spectators.

A front mounted aluminum walkway with stairs and hand rail is included.

MODEL	ROWS	MAXIMUM SEAT CAPACITY	SEAT CAPACITY with AISLE
TSP7E-27	7	126	110
TSP7E-39	7	182	166
TSP7E-45	7	210	194